



Buenos Aires Mood

PORCELAIN STONE


- A sophisticated and elegant alternative to natural stone
- Multistrato Technology creates subtle shading, fluidity and movement within each color
- Textured finish suitable for exterior usage
- Consistency of color among textures allows for blended, visually appealing installations
- Multiple sizes and rectified edges for maximum design versatility



VS154 Tango - Polished



VS151 LaBoca - Polished



VS152 Pampa - Polished



VS150 Polo - Polished



VS153 Recoleta - Polished



VS154 Tango - Textured



VS151 LaBoca - Textured



VS152 Pampa - Textured



VS150 Polo - Textured




VS153 Recoleta - Textured




VS154 Tango - Unpolished



VS151 LaBoca - Unpolished



VS152 Pampa - Unpolished



VS150 Polo - Unpolished



VS153 Recoleta - Unpolished

Size Data

Nominal (in)	Actual Size (mm)	Thickness (mm)	Finish
2 x 4	297 x 597	10.5	PO, UP, TX
6 x 6	147 x 147	10.5	
12 x 12	297 x 297	10.5	
4 x 24	97 x 597	10.5	
12 x 24	297 x 597	10.5	
24 x 24	597 x 597	10.5	

Coordinating Trim

8 1/2 x 12 Listello	218 x 297	10.5	PO
8 1/2 x 8 1/2 Listello Corner	218 x 218	10.5	PO
3 x 12 Single Bullnose	70 x 298	10	PO, UP
6 x 12 Cove Base	150 x 298	10	UP
6 x 8 Cove Base Corner (left)	150 x 200	10	UP
6 x 8 Cove Base Corner (right)	150 x 200	10	UP



3" x 12" Single Bullnose



6" x 12" Cove Base



6" x 8" Cove Base Corner Left



6" x 8" Cove Base Corner Right

Shade and Texture Index

Buenos Aires Mood has a shade variation V3.



V1



V2



V3



V4

V1=Uniform Appearance
V2=Slight Variation
V3=Moderate Variation
V4=Substantial Variation

Recommended Usage

Buenos Aires Mood (polished and unpolished) is recommended for interior walls, floors and exterior walls in both commercial and residential applications. The textured finish is recommended for interior and exterior walls and floors and exterior paving. Crossville recommends designing all exterior walking surfaces to provide adequate

drainage in order to prevent standing water. Polished tile is not recommended for wet areas or where standing water may occur.

Care & Maintenance

Regular cleaning is the best way to keep Buenos Aires Mood tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth to prevent spots. More information regarding the care and maintenance of Crossville products is available at crossvilleinc.com.

Installation Notes

Prior to grouting, application of a penetrating sealer is recommended on Buenos Aires Mood polished finish. If offset pattern is required on tiles 18 inches or longer, Crossville recommends an offset of not greater than 33%. See crossvilleinc.com for detailed installation instructions, pattern ideas and corner treatment options.

Product Performance

Breaking Strength	>425 lbf.	ASTM C648
Bond Strength	>200 psi	ASTM C482
Deep Abrasion	<135	ASTM C501
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	<0.10%	ASTM C373
Scratch Hardness	8	MOHs Scale
COF-Dry	PO >0.6 UP >0.7 TX >0.7	ASTM C1028
COF-Wet	PO N/A UP >0.6 TX >0.7	ASTM C1028





Buenos Aires Mood
Floor: VS153 Recoleta 24"x24" Unpolished, VS153 Recoleta 12"x24" Unpolished,
VS153 Recoleta 12"x12" Polished

Crossville, Inc. • P.O. Box 1168, Crossville, TN 38557
Phone: 931.484.2110 • Fax: 931.456.2956
E-Mail: crossc@crossvilleinc.com • crossvilleinc.com

 **CROSSVILLE**
ELEVATE YOUR SPACE