

Structure™



PORCELAIN STONE®

▲ Photo Info

 **CROSSVILLE®**
ELEVATE YOUR SPACE

Structure™

What gives your project structure? The perfect canvas where you can create your vision.

Crossville's Structure™ Porcelain Stone® tile provides the perfect backdrop for bold expressions in design.

Taking its cue from the minimalist movement, this contemporary collection is inspired by concrete and stone.



Product featured in photo above: AV224 Timber 24" x 24"
Product featured on front cover: AV223 Shale 6" x 24", 12" x 24"

▲ Photo Info



AV221 Gypsum



AV222 Sandstone



AV223 Shale

The 5 colors are made in the USA and feature a minimum of 20% recycled content. Offered in larger format, rectified tile, Structure may be used in modular patterns or planked as part of the Get Planked® program.

Bring Structure to your next project's interior floors and walls or exterior walls and watch your design take form.



AV224 Timber




AV225 Basalt

Sizes (Available in all colors. Shown in AV223 Shale)



24" x 24"

12" x 24"



6" x 24"

6" x 6"



Product featured in photo above: AV221 Gypsum 6" x 6", 12" x 24"





▲ Photo Info

Structure™

Sizes and Finishes

Field Tile (Available in all colors)

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
6 x 6	147 x 147	10.5	UPS
6 x 24	147 x 597	10.5	UPS
12 x 24	297 x 597	10.5	UPS
24 x 24	597 x 597	10.5	UPS

Note: All field tile is rectified and modular with a 3mm grout joint.

Coordinating Trim (Available in all colors)

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
4 x 24 Single Bullnose	97 x 597	10.5	UPS
6 x 12 Cove Base	150 x 297	10	UPS



4 x 24 Single Bullnose



6 x 12 Cove Base

Product Performance

Breaking Strength	>500 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	<0.20%	ASTM C373
Scratch Hardness	7	Mohs Scale

Coefficient of Friction

UPS	Dry	>0.8	ASTM C1028
	Wet	>0.7	ASTM C1028

Care and Maintenance

Regular cleaning is the best way to keep Structure™ tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at CrossvilleInc.com.

Recommended Use

Structure™ is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Structure is not recommended for exterior horizontal surfaces or exterior paving. If offset pattern is required for tiles 18 inches or longer, Crossville® recommends an offset of not greater than 33%. See CrossvilleInc.com for detailed installation instructions.

Shade & Texture Index

Structure™ has a shade variation of V2.

V1 V2 V3 V4

V1=Uniform Appearance
V2=Slight Variation
V3=Moderate Variation
V4=Substantial Variation

Product featured in photo above: AV222 Sandstone 6" x 24", 12" x 24", 24" x 24"

Certified Recycling Process

Structure™ contains a minimum of 20 percent pre-consumer recycled content and is manufactured by Crossville® using processes that have been certified by Scientific Certification Systems. SCS has verified that through these recycling processes Crossville recycles nearly 12 million pounds of previously discarded filtrate and fired tile waste. In addition to its own fired waste recycling, Crossville also accepts and recycles reclaimed, previously installed tile through its Tile Take-Back™ Program. For more information, visit CrossvilleInc.com/green.






Page 1 - Front Cover

Floor: Structure

Color Code	Color Name	Size	Pattern %
AV223	Shale	6" x 24"	50%
AV223	Shale	12" x 24"	50%




Custom Pattern



Page 2

Floor: Structure

Color Code	Color Name	Size	Pattern %
AV224	Timber	24" x 24"	100%




Custom Offset Pattern



Page 3

Floor: Structure

Color Code	Color Name	Size	Pattern %
AV221	Gypsum	12" x 24"	88.9%
AV221	Gypsum	6" x 6"	11.1%



Custom Basketweave Pattern



Page 4

Wall: Structure

Color Code	Color Name	Size	Pattern %
AV222	Sandstone	24" x 24"	*
AV222	Sandstone	12" x 24"	*
AV222	Sandstone	6" x 24"	*

* Not enough tile shown to determine pattern