SpeakEasy

Porcelain Stone®



Colors



AV281 ▶ Sidecar



AV282 ▶ Zoot Suit



AV283 ▶ Sweet Georgia Brown



AV284 ▶ Silver Screen





AV281 ► Sidecar 6 x 36 UPS

Features and Benefits

- Beautifully durable alternative to rustic barn wood
- Five distinct colors which mimic the look of stained timber in a range of tones
- Plank sizes offered 6 x 36 and 8 x 36 and 12 x 36, enhance the wood-like effect.
- · All sizes rectified and modular with a minimum 3mm grout joint
- Trim includes 6 x 18 bullnose
- Made in the U.S.A.
- Contains a minimum of 4% pre-consumer recycled content and is manufactured by Crossville® using processes that is Green SquaredSM certified

SpeakEasy

Porcelain Stone®

Sizes









AV285 ▶ Bankroll 6 x 36 UPS



AV285 ▶ Bankroll 6 x 36 UPS

Sizes &	Finishes	
---------	-----------------	--

Field Tile		Available in all colors	
Nominal (in)	Actual (mm)	Thickness (mm)	Finish
6 x 36	147 x 897	10.5	UPS
8 x 36	197 x 897	10.5	UPS
12 x 36	297 x 897	10.5	UPS

Note: All field tile is **rectified** and modular with a minimum 3mm grout joint. Actual measurements stated in inches indicate tile is calibrated (non-rectified). Actual measurements stated in mm indicate tile is rectified.

4	Coordinating Trim		Available in all colors	
	Nominal (in)	Actual (mm)	Thickness (mm)	Finish
	6 x 18 Bullnose	147 x 447	10.5	UPS



6 x 18 Single Bullnose (available in all colors)

Product Performance


Breaking Strength	>500 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	<0.20%	ASTM C373
Scratch Hardness	7	Mohs Scale

Wet Dynamic Coefficient of Friction Range

UPS	0.50 - 0.60	AcuTestsm

Shade & Texture Index


SpeakEasy has a shade variation of V3.



V1 Uniform appearance V2 Slight Variation

V3 Moderate Variation

This porcelain tile product is produced with a V3 variation. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.



AV284 ▶ Silver Screen 6 x 36 and 12 x 36 UPS



SpeakEasy

Crossville, Inc.

PO Box 1168 Crossville, TN 38557 **Phone** 931.484.2110 **Fax** 931.456.2956

E-Mail Crossc@CrossvilleInc.com
Web CrossvilleInc.com

Recommended Use

SpeakEasy is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. SpeakEasy is not recommended for exterior horizontal surfaces or exterior paving. If offset pattern is required for tiles 18 inches or longer, Crossville® recommends an offset of not greater than 33%. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage. See CrossvilleInc.com for detailed installation instructions.

Care and Maintenance

Regular cleaning is the best way to keep SpeakEasy tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at CrossvilleInc.com.



AV281 ► Sidecar 6 x 36 UPS **AV282** ► Zoot Suit 12 x 36 UPS

EcoCycle Tile Process™

SpeakEasy contains a minimum of 4 percent pre-consumer recycled content and is manufactured by Crossville® using processes that recycle nearly 12 million pounds of previously discarded filtrate and fired tile waste. In addition to its own fired waste recycling, Crossville also accepts and recycles reclaimed, previously installed tile through its Tile Take-Back™ Program. For more information, visit CrossvilleInc.com/green.

Green SquaredSM Certified

Crossville® has earned Green SquaredSM certification from the Tile Council of North America (TCNA) for its entire U.S.-manufactured porcelain product line-up, as well as its manufacturing processes. The company is among the first ever recipients of this certification standard for the tile industry. TCNA developed the Green Squared certification under American National Standards Institute (ANSI) process. The multi-attribute program (ANSI A138.1) scores products in five categories of performance: product characteristics, manufacturing, corporate governance, innovation and end-of-life. Crossville's certified products and processes received stringent evaluation from Scientific Certification Systems (SCS), the green building industry's longest standing third-party certifier.

Hydrotect

Our porcelain tiles are available with Hydrotect. Crossville's revolutionary invisible coating harnesses the power of light, water, and oxygen to create the best defense against dirt and pollution. Whether indoors or out, floors and walls stay cleaner, providing a superior experience in any space. For complete details check our website at CrossvilleInc.com.

♠ HYDROTECT*

by 🔷 CROSSVILLE.

National Accounts

For over 20 years we have been offering Porcelain tile to commercial customers at National Accounts pricing programs with special discounts. The National Accounts department provides materials forecasting, sales support and samples.

Exterior Cladding

Crossville's Porcelain Stone® Exterior Cladding Systems are suitable for virtually any conventional masonry application. When used in conjunction with our exterior cladding systems, Crossville's Porcelain Stone offers clear advantages: decreased construction costs, less site disturbance, low-to-zero maintenance after installation, accelerated construction schedules and greater strength than traditional masonry.

Crossville® Sample Express

Sample fulfillment & Help Line Samples@CrossvilleInc.com 1800 221.9093

Loose Samples for Architects & Designers

Loose Tile Samples
Sizes may vary depending on
product series
Max. of 4 large field tile per order

Replacement Chips for PSS Rack Max. of 5, 2 x 2 chips per color

Standard Shipping UPS Ground

Our Warranty

Crossville Inc. guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1-2012 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.

Trade Organizations



















