
SpeakEasy

Porcelain Stone®

AMERICAN

Distinctly American. Uniquely Crossville.



Color Palette

Colors



AV281 ▶ Sidecar



AV282 ▶ Zoot Suit



AV283 ▶ Sweet Georgia Brown



AV284 ▶ Silver Screen



AV285 ▶ Bank Roll



AV281 ▶ Sidecar 6 x 36 UPS

SpeakEasy

Porcelain Stone®

Speak out, speak
loud, speak easy...

Make a bold statement in your design with SpeakEasy, Crossville's latest porcelain tile collection that captures the look of rugged, real barn wood and fencing in elegantly executed, large format tile planks. SpeakEasy's convincing interpretation of wood's appearance and texture lets you go against the grain, using porcelain tile in place of hardwood without sacrificing the style you desire.

The line's five colors—Sidecar, Zoot Suit, Sweet Georgia Brown, Silver Screen and Bank Roll—mimic the look of stained timber in a range of tones. The plank sizes, available in 6x36, 8x36 and 12x36, enhance the wood-like effect. Work with a single shade and size for a time-honored, traditional style, or mix colors and sizes for a custom installation that gives tradition a twist.

SpeakEasy is made in the U.S.A. through Crossville's EcoCycle Tile Process™, it contains a minimum of 4% third-party recycled content and is **Green Squared Certified**. It's recommended for commercial and residential installations, including interior floors and walls and exterior vertical surfaces. Anywhere you want to add depth, character and rugged elegance to your design...SpeakEasy.



AV284 ▶ Silver Screen 6 x 36 and 12 x 36 UPS

Specifications

Sizes



AV285 ▶ Bankroll 6 x 36 UPS



AV285 ▶ Bankroll 6 x 36 UPS

Sizes & Finishes

Field Tile		Available in all colors	
Nominal (in)	Actual (mm)	Thickness (mm)	Finish
6 x 36	147 x 897	10.5	UPS
8 x 36	197 x 897	10.5	UPS
12 x 36	297 x 897	10.5	UPS

Note: All field tile is **rectified** and modular with a minimum 3mm grout joint.

Coordinating Trim

Coordinating Trim		Available in all colors	
Nominal (in)	Actual (mm)	Thickness (mm)	Finish
6 x 18 Bullnose	147 x 447	10.5	UPS



6 x 18 Single Bullnose
(available in all colors)

Product Performance


Breaking Strength	>500 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	<0.20%	ASTM C373
Scratch Hardness	7	Mohs Scale

Wet Dynamic Coefficient of Friction Range

UPS	0.50 - 0.60	AcuTest sm
-----	-------------	-----------------------

Shade & Texture Index

SpeakEasy has a shade variation of V3.



This porcelain tile product is produced with a V3 variation. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.



AV284 ▶ Silver Screen 6 x 36 and 12 x 36 UPS

Environmentally Conscious

SpeakEasy is made using Crossville's EcoCycle Tile Process™, it contains a minimum 4 percent pre-consumer third-party recycled content and is Green Squared® Certified. Through these recycling processes Crossville recycles nearly 12 million pounds of previously discarded filtrate and fired tile waste. In addition to its own fired waste recycling, Crossville also accepts and recycles reclaimed, previously installed tile through its Tile Take-Back™ Program. For more information, visit CrossvilleInc.com/green.

Recommended Use

SpeakEasy is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. SpeakEasy is not recommended for exterior horizontal surfaces or exterior paving. If offset pattern is required for tiles 15 inches or longer, Crossville® recommends an offset of not greater than 33%. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage. See CrossvilleInc.com for detailed installation instructions.

Care and Maintenance

Regular cleaning is the best way to keep SpeakEasy tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at CrossvilleInc.com.

Our Warranty

Crossville Inc. guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1-2012 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.

Hydrotect

Our porcelain tiles are available with Hydrotect. Crossville's revolutionary invisible coating harnesses the power of light, water, and oxygen to create the best defense against dirt and pollution. Whether indoors or out, floors and walls stay cleaner, providing a superior experience in any space. For complete details check our website at CrossvilleInc.com.



AV281 ▶ Sidecar 6 x 36 UPS
AV282 ▶ Zoot Suit 12 x 36 UPS

Trade Organizations



Environmentally Aware



SpeakEasy

Porcelain Stone®

Crossville, Inc.

PO Box 1168
Crossville, TN
38557

Phone 931.484.2110
Fax 931.456.2956
E-Mail Crossc@CrossvilleInc.com
Web CrossvilleInc.com



AV283 ▶ Sweet Georgia Brown 6 x 36 UPS
Above and on front cover

 **CROSSVILLE®**