

GOODNIGHT FROM NASHVILLE TENNESSEE W Bridgestone Arena | Lexus Lounge Nashville, TN The use of Crossville's Laminam tile panels in the downtown Nashville area helps welcome a new era for an arena that has a strong history and bright future for a growing city. View this case study at CrossvilleInc.com Laminam by Crossville - 3+ Filo Oro

Leadership.


Crossville is the leading supplier of gauged porcelain tile panels in the United States. We were one of the first to bring this material to the US, and not only stock over 60 skus in our Tennessee-based warehouse, we have trained thousands of installers on how to successfully handle the material. Our goal is to make your designs the best they can be, and with best in class materials, handling, and installation, we do just that. With Crossville, creative solutions never compromise.


Ready to answer your unique needs.

With over 30 years of experience in our industry, we're adept at answering the unique needs of customer groups. Our range of special programs and products are thoughtfully developed to make life simpler for architects, contract designers, residential designers, retailers, and specifiers for national accounts. Whatever you need, we—alongside our distributors' sales teams—are ready to assist.

Highest standards from the inside out.

Crossville® is a subsidiary of The Curran Group, a family-owned, privately held corporation. We run on the same principles that the Currans are known for in all their business endeavors: family, partnership, integrity, improvement, and respect. Get to know us, and you'll find that our unique value system guides our relationships with employees, business associates and with you, our customers.







L2880 Pece Filo 3+







Blend

Flexible, versatile and inspired by cement, with a special speckled visual effect. Blend reveals remarkably broad-ranging application possibilities, making it ideal for the world of interior design.

Gauged Porcelain Tile Panels

Colors



Stocking Avorio - L2048 - 3+ (Walls)



Stocking Noce - L2049 - 3+ (Walls)



Stocking Grigio - L1367 - 3+ (Walls)



Stocking Nero - L1510 - 3+ (Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.



Laminam by Crossville® 3+ - Blend Nero L1510 Daily Grill - Architechts: Kelly Architect (George Kelly and Jen Smith) View this case study at CrossvilleInc.com

1 meter x 3 meter panels

LAMINAM 3+ 32.29 sq. ft./piece 51.66 lbs./piece Lbs./piece

Laminam arrives in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

Please refer to the Laminam technical guide online for receiving and handling information at CrossvilleInc.com.

Size

Piece



1M x 3M





Calce

Gauged Porcelain Tile Panels

Neutral colors and delicate nuances mark the face of Calce, a line inspired by wet plaster and concrete. The combination results in a soft, chalky visual that is both sophisticated and thoroughly contemporary. In sizes as large as 1m x 3m, this soft whisper makes a bold statement.



Walls and Ceiling: Laminam by Crossville® 3+ - Bianco F6385

1 meter x 3 meter panels

LAMINAM 3+ 32.29 sq. ft./piece 51.66 lbs./piece Piece Lbs./piece

 $Lamin am \ arrives \ in \ oversized \ crates. \ A-frames \ available \ on \ request. \ These \ A-frames \ require \ proper \ receiving \ and \ handling \ equipment. \ Check \ with \ Crossville \ customer \ service \ for \ details \ (931-484-2110).$ Please refer to the Laminam technical guide online for receiving and handling information at CrossvilleInc.com.

Size



Colors



Stocking Avorio- F6372 - 3+ (Walls)



Stocking Grigio - F6376 - 3+ (Walls)



Stocking Tortora - F6382 - 3+ (Walls)



Stocking Antracite - F6373 - 3+ (Walls)



Stocking Nero - F6379 - 3+ (Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.







Cava

With looks as good as natural stone delivered straight from the quarry, Cava brings you all of the style with unsurpassable performance. Utilizing state of the art technology, each vein is rendered to remarkably authentic effect. The result, supersized stone looks guaranteed to be even better than the real thing.

Gauged Porcelain Tile Panels

Colors



Stocking Bianco Lasa Polished** - F0375 - 5.6 (Floors & Walls)



Stocking Bianco Lasa Bush Hammered - F7048 - 5.6 (Floors & Walls)



Stocking Diamond Cream Bush Hammered - F7049 - 5.6 (Floors & Walls)



Stocking Noir Desir Polished** - F0372 - 5.6 (Floors & Walls)



Stocking Nero Greco Polished** - F0373 - 5.6 (Floors & Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.

**Polished finishes require a penetrating sealer prior to grouting.

Please Note: Due to DCOF value, these tile panels are not recommended for applications in wet areas or areas where standing water may occur.



Walls: Laminam by Crossville® 5.6 - Cava Noir Desir Polished F0372 Floors: Crossville's Notorious - NTR05 - Leading Man 12 x 24 and 6 x 12 Cove Base UPS

1 meter x 3 meter panels

Piece Lbs./piece


32.29 sq. ft./piece 93.96 lbs./piece

LAMINAM 5.6

Laminam arrives in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

Please refer to the Laminam technical guide online for receiving and handling information at CrossvilleInc.com.

Size



1M x 3M









Collection

Gauged Porcelain Tile Panels

The most historical collection fully represents the concept of versatility: a new way to surface for use in both commercial and residential projects.



Laminam by Crossville® 5.6 - Collection Fumo L3503 - Special Order Only

1 meter x 3 meter panels

	LAMINAM 3+	LAMINAM 5.6
Piece	32.29 sq. ft./piece	32.29 sq. ft./piece
Lbs./piece	51.66 lbs./piece	93.96 lbs./piece

 $Lamin am \ arrives \ in \ oversized \ crates. \ A-frames \ available \ on \ request. \ These \ A-frames \ require \ proper \ receiving \ and \ handling \ equipment. \ Check \ with \ Crossville \ customer \ service \ for \ details (931-484-2110).$

Please refer to the Laminam technical guide online for receiving and handling information at CrossvilleInc.com.

Size

1M x 3M

Information listed here is subject to change.

Please refer to CrossvilleInc.com for the latest, most accurate information.







Collection

Gauged Porcelain Tile Panels

The most historical collection fully represents the concept of versatility: a new way to surface for use in both commercial and residential projects.

Colors Stocking Perla - L0402 - 3+ (Walls) Stocking Neve - L0102 - 3+ (Walls) Stocking Avorio - L0110 - 3+ (Walls) Stocking Crusca - L2641 - 3+ (Walls) Stocking Fumo - L0047 - 3+ (Walls) Stocking Bianco Assoluto - L7956 5.6 Matte - 5.6 (Floors & Walls) Stocking Bianco Assoluto - L0577 5.6 Polished - 5.6 (Floors & Walls) Stocking Nero - L0046 - 3+ (Walls) Stocking Nero - L3500 - 5.6 (Floors & Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.

^{**}Polished finishes require a penetrating sealer prior to grouting.

Please Note: Due to DCOF value, these tile panels are not recommended for applications in wet areas or areas where standing water may occur.

Gauged Porcelain Tile Panels

Technology and research into materials lead to the creation of a surprising texture, stemming from the image of a continually repeated glistening wire that forms a woven pattern, a shiny metal surface.



Laminam by Crossville® 3+ - Filo Ghisa L2095

1 meter x 3 meter sheets

LAMINAM 3+ 32.29 sq. ft./piece 51.66 lbs./piece

 $Lamin am \ arrives \ in \ oversized \ crates. \ A-frames \ available \ on \ request. \ These \ A-frames \ require \ proper \ receiving \ and \ handling \ equipment. \ Check \ with \ Crossville \ customer \ service \ for \ details \ (931-484-2110).$

Please refer to the Laminam technical guide online for receiving and handling information at Crossvillelnc.com.


Size

Lbs./piece

1M x 3M













Stocking Mercurio - L2882 - 3+ (Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.

Information listed here is subject to change.

Please refer to CrossvilleInc.com for the latest, most accurate information.







Fokos

Sand, earth, salt, and rock come together in a palette inspired by Grecian landscape. Where earth meets man and nature converges with design you find Fokos.

Gauged Porcelain Tile Panels

Colors



Stocking Sale - L3914 - 5.6 (Floors & Walls)



Stocking Rena - L3917 - 5.6 (Floors & Walls)



Stocking Terra - L3915 - 5.6 (Floors & Walls)



Stocking Roccia - L3916 - 5.6 (Floors & Walls)



Stocking Piombo - L4338 - 5.6 (Floors & Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.



Laminam by Crossville® 5.6 - Fokos Roccia L3916

1 meter x 3 meter panels

Lbs./piece

LAMINAM 5.6 32.29 sq. ft./piece 93.96 lbs./piece

Laminam arrives in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

Please refer to the Laminam technical guide online for receiving and handling information at

Size



1M x 3M







l Metalli

Gauged Porcelain Tile Panels



Laminam by Crossville® 3+ - I Metalli Plumbeo Ossidato L5347

I Metalli brings the look of aged metal, but with the ease of maintenance only porcelain can bring. With texture evoking diamond plate, the distressed, oxidized look is both industrial and luxurious thanks to tones of iron, brass, copper, and bronze. Changes in gloss refract light for a multidimensional surface sure to bring interest to any space.

Colors



Stocking Ferro Ossidato - L5349 - 3+ (Walls)



Stocking Plumbeo Ossidato - L5347 - 3+ (Walls)



Stocking Plutonio Ossidato - L5350 - 3+ (Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.

1 meter x 3 meter panels

 LAMINAM 3+

 Piece
 32.29 sq. ft./piece

 Lbs./piece
 51.66 lbs./piece

Laminam arrives in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110). Please refer to the Laminam technical guide online for receiving and handling information at Crossvillelnc.com.

Size



1M x 3M








l Naturali

Gauged Porcelain Tile Panels

Maximum freedom of expression and unexplored possibilities in interior design create a unique collection, which enhances the formal elegance of stone in large dimensions, with reduced thickness, easy handling and speedy application.



Laminam by Crossville® 3+ - I Naturali Ossidiana Vena Scura L2770

1 meter x 3 meter panels

	LAMINAM 3+	LAMINAM 5.6
Piece	32.29 sq. ft./piece	32.29 sq. ft./piece
Lbs./piece	51.66 lbs./piece	93.96 lbs./piece

Laminam arrives in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

 $Please \ refer to \ the \ Laminam \ technical \ guide \ online \ for \ receiving \ and \ handling \ information \ at \ CrossvilleInc.com.$

Size

1M x 3M

Polished finishes require a penetrating sealer prior to grouting.

Please Note: Due to DCOF value, these tile panels are not recommended for applications in wet areas or areas where standing water may occur.

Information listed here is subject to change.

Please refer to CrossvilleInc.com for the latest, most accurate information.








| Naturali

Gauged Porcelain Tile Panels

Maximum freedom of expression and unexplored possibilities in interior design create a unique collection, which enhances the formal elegance of stone in large dimensions, with reduced thickness, easy handling and speedy application.

Colors



Stocking Statuario Venato - L5778 - 5.6 (Floors & Walls)



Stocking Statuario Venato Bookmatch Polished - L0319.1M3MBM - 5.6 (Floors & Walls) sold as 4 pieces



Stocking Calacatta Oro Venato - L6093 - 5.6 (Floors & Walls)



Stocking Crema Marfil - L2226 - 3+ (Walls)



Stocking Ossidiana Vena Grigia - L3122 - 3+ (Walls)



Stocking Ossidiana Vena Chiara - L3121 - 3+ (Walls)



Stocking Statuario Venato Polished** - L0319 - 5.6 (Floors & Walls)



Stocking Calacatta Oro Venato Bookmatch Polished - L0318.1M3MBM - 5.6 (Floors & Walls) sold as 4 pieces



Stocking Calacatta Oro Venato Polished** - L0318 - 5.6 (Floors & Walls)



Stocking Travertino Avorio - L2224 - 3+ (Walls)



Stocking Ossidiana Vena Scura - L2770 - 3+ (Walls)

Laminam by Crossville's I Naturali collection expands with Pietra di Savoia. Inspired by rare aristocratic natural stone looks, the collection presents a timeless elegance encapsulated in an illustrious presentation.

I Naturali Pietra di Savoia

Gauged Porcelain Tile Panels

Colors



Stocking Pietra di Savoia Avorio - L5905 - 5.6 (Floors & Walls)



Stocking Pietra di Savoia Perla - L5135 - 5.6 (Floors & Walls)



Stocking Pietra di Savoia Grigia - L4552 - 5.6 (Floors & Walls)



Stocking Pietra di Savoia Antracite - L5253 - 5.6 (Floors & Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.



Wall: Laminam by Crossville® 5.6 - Pietra di Savoia Antracite L5253 Floor: Laminam by Crossville® 5.6 - Pietra di Savoia Grigia L4552

1 meter x 3 meter panels

	LAMINAM 3+	LAMINAM 5.6
Piece	32.29 sq. ft./piece	32.29 sq. ft./piece
Lbs./piece	51.66 lbs./piece	93.96 lbs./piece

 $Laminam\ arrives\ in\ oversized\ crates.\ A-frames\ available\ on\ request.\ These\ A-frames\ require\ proper\ receiving\ and\ handling\ equipment.\ Check\ with\ Crossville\ customer\ service\ for\ details\ (931-484-2110).$

Please refer to the Laminam technical guide online for receiving and handling information at CrossvilleInc.com.















Oxide

Gauged Porcelain Tile Panels

Oxide collection evokes metal that has reacted to sunlight and has been exposed to the weather over time. This collection was devised to embellish settings with character, which has surprisingly become the solution for a total look.



aminam by Crossville® 3+ - Oxide Nero L1461. Macy's Herald Square, NYC, NY CS. View this case study at CrossvilleInc.com

1 meter x 3 meter panels

Piece Lbs./piece LAMINAM 3+ 32.29 sq. ft./piece 51.66 lbs./piece

Laminam arrives in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110). Please refer to the Laminam technical guide online for receiving and handling information at

Size



1M x 3M

Colors



Stocking Bianco - L3439 - 3+ (Walls)



Stocking Perla - L2013 - 3+ (Walls)



Stocking Avorio - L2012 - 3+ (Walls)



Stocking Grigio - L2581 - 3+ (Walls)



Stocking Nero - L1461 - 3+ (Walls)



Stocking Moro - L1462 - 3+ (Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.

Information listed here is subject to change.

Please refer to CrossvilleInc.com for the latest, most accurate information.









Satori

Enlightened spaces guide us on our journey to Zen with Satori. Satori brings an awakening to the surface of design with vast looks manifested in both residential and commercial applications. It creates energy flow within the elements of the universe, a vibration encapsulated within this new line of porcelain tile panels.

Gauged Porcelain Tile Panels



Stocking Beige - L6477 - 3+ (Walls)



Stocking Brown - L5689 - 5.6 (Floors & Walls)



Stocking Black - L5688 - 5.6 (Floors & Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.



Laminam by Crossville® 5.6 - Brown L5689

1 meter x 3 meter panels

	LAMINAM 3+	LAMINAM 5.6
Piece	32.29 sq. ft./piece	32.29 sq. ft./piece
Lbs./piece	51.66 lbs./piece	93.96 lbs./piece

 $Lamin am \ arrives \ in \ oversized \ crates. \ A-frames \ available \ on \ request. \ These \ A-frames \ require \ proper \ receiving \ and \ handling \ equipment. \ Check \ with \ Crossville \ customer \ service \ for \ details (931-484-2110).$

Please refer to the Laminam technical guide online for receiving and handling information at

Size



1M x 3M









Seta

Gauged Porcelain Tile Panels®



Seta

Gauged Porcelain Tile Panels®

Colors



Stocking Oro - F7467 - 3+ (Walls)



Stocking Liquorice - F7465 - 3+ (Walls)



Stocking Gris - F7464 - 3+ (Walls)



Stocking Glace - F7466 - 3+ (Walls)

Note: These photos depict base color and sheen. Please refer to our website for a more accurate depiction of veining and pattern.



Laminam by Crossville 3+ - F7464 Gris on Wall and Crossville Moonstruck AV302 18x36 on floor

1 meter x 3 meter panels

 Piece
 32.29 sq. ft./piece

 Lbs./piece
 51.66 lbs./piece

Laminam arrives in oversized crates. A-frames available on request. These A-frames require proper receiving and handling equipment. Check with Crossville customer service for details (931-484-2110).

Please refer to the Laminam technical guide online for receiving and handling information at CrossvilleInc.com.

Size



1M x 3M








Special Order

Gauged Porcelain Tile Panels



VS152 Pampa 12 x 12 UP & PO, 12 x 24 UP & TX

SPECIAL ORDER INFORMATION

If you didn't find the perfect fit for your next project in our stocking section, please view the panels available by special order. These panels are imported from Italy and must be ordered in full crate quantities. Lead time is 14-16 weeks from time Purchase Order is placed. Orders cannot be canceled after 48 hours from Purchase Order being placed.



Special Order L4382 Bianco Oxide 5.6



Special Order L3764 Perla Oxide 5.6



Special Order L5254 Pietra di Savoia Perla I Naturali 3+



Special Order L4035 Avorio Oxide 5.6



Special Order L0002 Crusca Polished Collection 5.6



Special Order L0018 Perla Polished Collection 5.6



Special Order L3502 Perla Collection 5.6



Special Order L4489 Sale Fokos 3+



Special Order L5361 Marfil I Naturali 5.6



Special Order L3501 Avorio Collection 5.6



Special Order L6189 Pietra di Savoia Avorio I Naturali 3+



Special Order L4538 Avorio Blend 5.6



Special Order L4959 Travertino Navona I Naturali 5.6



Special Order L4744 Travertino Avorio l Naturali 5.6



Special Order L4938 Travertino Romano Matte I Naturali 5.6



Special Order L4127 Crema Marfil I Naturali 5.6



Special Order L3504 Crusca Collection 5.6



Special Order L4903 Rena Fokos 3+



Special Order L4743 Noce Blend 5.6



Special Order L4496 Terra Fokos 3+

Special Order

Collection 5.6

L0003 Fumo Polished



Special Order L4482 Roccia Fokos 3+

Special Order

L3503 Fumo



Special Order L4739 Grigio Oxide 5.6

Special Order

L3521 Grigio



Special Order L0163 Tortora Collection 3+

Special Order

L4879 Piombo






Special Order L3795 Tortora



Special Order L4401 Nero



Blend 5.6



Special Order L5136 Pietra di Savoia Antracite I Naturali 3+



Special Order L4018 Nero Oxide 5.6



Special Order L4508 Rubino Filo 3+



Special Order L4021 Moro Oxide 5.6



Special Order L0218 Moro Collection 3+



Special Order L4083 Moro Collection 5.6



Special Order L3797 Nero Intenso Collection 3+



Special Order L4084 Nero Intenso Collection 5.6

Tile-Over-Tile

Gauged Porcelain Tile Panels



Tile-Over-Tile

Gauged Porcelain Tile Panels



This panel depicts each step in the Tile-Over-Tile Process

TILE-OVER-TILE

Think Thin – Embrace Tile-Over-Tile Installations

Updating a space that has existing but dated tile is highly desirable. Demolition, downtime, and dollars may make a full remodel unattainable. Crossville's Laminam Porcelain Tile Panels offer many unique and highly functional features including a new approach to remodeling – Tile-Over- Tile.

Create a fresh and flawless space in a faster turnaround when you capture the benefits of a Tile-Over- Tile project:

TIME IS MONEY

- Faster room turnaround to quickly reestablish the function and usage of the space
- Lower material and labor costs
- Removing the tile added for tear out and replacement of substrates can significantly reduce the overall time for the remodel

NO OR REDUCED DEMOLITION

- Eliminate sound and health contamination
- Reduce waste to landfills
- Minimalize dirt and dust during installation
- Lower Volatile organic compounds (VOC)

LARGER, THIN TILE = BIG RESULTS

- Smaller and fewer grout joints reduces the opportunity for mold and bacteria
- Contemporary modern clean aesthetic
- Thin tile (3+mm and 5.6mm thickness) easily covers existing tile without adding bulk
- Easy to clean, simplified maintenance
- Lifecycle of porcelain ensures a lifetime of beauty and performance

Take a moment to consider when a Tile-Over-Tile project can add even more value to an installation.







After

To the right, see Holy Cross Hospital's before and after shots of their Tile-Over-Tile project.

For more information on this project, view our Holy Cross Case Study at CrossvilleInc.com.

Technical Information Gauged Porcelain Tile Panels

COLOR AND SIZE REFERENCE CHART

Note: Please Contact Customer Service for lead times and availability. 1M1M and additional cut sizes are also available as special order only. Allow 3-4 weeks lead time for custom cut.

† Polished Finishes require a penetrating sealer prior to grouting. **Please Note**: Due to DCOF value, these tile panels are not recommended for applications in wet areas or areas where standing water may occur.

X Special Order Items are full crate only. Allow minimum 14-16 weeks lead time.

Series and Color	Item Codes		Special Order Sizes	
	3+ 1M3M	5.6 1M3M	3+	5.6
Blend Avorio	L2048.1M3M	L4538.1M3M		Х
Blend Grigio	L1367.1M3M	L3521.1M3M		Х
Blend Nero	L1510.1M3M	L4401.1M3M		Х
Blend Noce	L2049.1M3M	L4743.1M3M		Х
Calce Bianco	F6385.1M3M			
Calce Avorio	F6372.1M3M			
Calce Grigio	F6376.1M3M			
Calce Tortora	F6382.1M3M			
Calce Antracite	F6373.1M3M			
Calce Nero	F6379.1M3M			
Cava Bianco Lasa Polished [†]		F0375.1M3M		
Cava Bianco Lasa Bush Hammered		F7048.1M3M		
Cava Diamond Cream Bush Hammered		F7049.1M3M		
Cava Noir Desir Polished [†]		F0372.1M3M		
Cava Nero Greco Polished [†]		F0373.1M3M		
Collection Avorio	L0110.1M3M	L3501.1M3M		Х
Collection Bianco Assoluto Matte		L7956.1M3M		
Collection Bianco Assoluto Polished		L0577.1M3M		
Collection Crusca	L2641.1M3M	L3504.1M3M		Х
Collection Fumo	L0047.1M3M	L3503.1M3M		Х
Collection Moro	L0218.1M3M	L4083.1M3M	х	Х
Collection Nero	L0046.1M3M	L3500.1M3M		
Collection Nero Intenso	L3797.1M3M	L4084.1M3M	Х	Х
Collection Neve	L0102.1M3M			
Collection Perla	L0402.1M3M	L3502.1M3M		Х
Collection Tortora	L0163.1M3M	L3795.1M3M	Х	Х
Collection Avorio Polished [†]		L0016.1M3M		
Collection Crusca Polished [†]		L0002.1M3M		Х
Collection Fumo Polished [†]		L0003.1M3M		Х
Collection Perla Polished [†]		L0018.1M3M		Х
Filo Argento	L2092.1M3M			
Filo Brina	L2879.1M3M			
Filo Ghisa	L2095.1M3M			
Filo Mercurio	L2882.1M3M			
Filo Oro	L2093.1M3M			
Filo Pece	L2880.1M3M			
Filo Rame	L2881.1M3M			
Filo Rubino	L4508.1M3M		Х	
Fokos Piombo	L4879.1M3M	L4338.1M3M	Х	
Fokos Rena	L4903.1M3M	L3917.1M3M	Х	
Fokos Roccia	L4482.1M3M	L3916.1M3M	Х	
Fokos Sale	L4489.1M3M	L3914.1M3M	Х	

Series and Color	Item Codes		Special Order Sizes	
	3+ 1M3M	5.6 1M3M	3+	5.6
Fokos Terra	L4496.1M3M	L3915.1M3M	Х	
I Metalli Plumbeo Ossidato	L5347.1M3M			
I Metalli Plutonio Ossidato	L5350.1M3M			
I Metalli Ferro Ossidato	L5349.1M3M			
I Naturali Crema Marfil	L2226.1M3M	L4127.1M3M		Х
I Naturali Ossidiana Vena Chiara	L3121.1M3M			
I Naturali Ossidiana Vena Grigio	L3122.1M3M			
I Naturali Ossidiana Vena Scura	L2770.1M3M			
I Naturali Pietra Di Savoia Avorio	L6189.1M3M	L5905.1M3M	Х	
I Naturali Pietra Di Savoia Grigia		L4552.1M3M		
I Naturali Pietra Di Savoia Perla	L5254.1M3M	L5135.1M3M	Х	
I Naturali Pietra Di Savoia Antracite	L5136.1M3M	L5253.1M3M	Х	
I Naturali Marfil		L5361.1M3M		Х
I Naturali Travertino Avorio	L2224.1M3M	L4744.1M3M		Х
I Naturali Travertino Navona		L4959.1M3M		Х
I Naturali Travertino Romano		L4938.1M3M		
I Naturali Statuario Venato		L5778.1M3M		
I Naturali Statuario Venato Polished [†]		L0319.1M3M		
I Naturali Calacatta Venato		L6093.1M3M		
I Naturali Calacatta Venato Polished [†]		L0318.1M3M		
Oxide Avorio	L2012.1M3M	L4035.1M3M		Х
Oxide Bianco	L3439.1M3M	L4382.1M3M		Х
Oxide Grigio	L2581.1M3M	L4739.1M3M		Х
Oxide Moro	L1462.1M3M	L4021.1M3M		Х
Oxide Nero	L1461.1M3M	L4018.1M3M		Х
Oxide Perla	L2013.1M3M	L3764.1M3M		Х
Satori Beige	L6477.1M3M			
Satori Black		L5688.1M3M		
Satori Brown		L5689.1M3M		
Seta Gris	F7464.1M3M			
Seta Liquorice	F7465.1M3M			
Seta Glace	F7466.1M3M			
Seta Oro	F74671M3M			

Technical Information Gauged Porcelain Tile Panels

APPLICATIONS

Laminam® is suitable for many interior and exterior applications:

BUILDING SECTOR

Floor and wall coverings, partition and storage walls, false ceilings, surface finishes and restoration, insulated panels and tunnels.

INTERIOR DESIGN

Surfaces of kitchen and bathroom tops, cupboards, tables, desks, doors and furnishings in general.

SHIPBUILDING SECTOR

The lightness and high technical properties of Laminam make it suitable for walls of cruise ships and sports crafts.

COMPOSITE AND STRUCTURAL PANELS

The porcelain tile panels can be placed over other materials to create extremely light and particularly resistant composite and structural panels suitable in all those cases that require high resistance and reduced weight load on the surface.

TECHNICAL SPECIFICATIONS

LAMINAM 3+ & 5.6MM

Porcelain obtained by wet grinding of clayish raw materials, granite and metamorphic, feldspar-containing rocks and ceramic pigments. Compacted by a special shaping in compactor and sintering at 1200°C, with controlled firing.

TECHNICAL INFO

LAMINAM 3+

Laminam 3+ is made up of the basic tile panel with the structure reinforced with fiberglass matting applied on the back using special adhesive.

Thickness: 3mm plus .5mm fiberglass mesh.

Use of Laminam 3+

• Interior and exterior wall coverings and countertops

LAMINAM 5.6MM

Laminam 5.6mm is the tile panel without reinforcing mesh. Thickness: 5.6mm

Use of Laminam 5.6mm

- Interior floors below, above, and slab on grade concrete and interior and exterior wall coverings and countertops.
 (See Laminam Technical Guide for more information)
- Polished finishes require a penetrating sealer prior to grouting. Please Note: Due to DCOF value, these tile panels are not recommended for applications in wet areas or areas where standing water may occur

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.

Third party certified, pre-consumer, recycled content certificates available on the website.

EDGE FINISHING TECHNIQUES



Laminam 3+ and 5.6mm Using Profiles



Laminam 5.6mm Field Applied Bullnose



Laminam 5.6mm Back Mitered and Epoxied

Technical Information

Gauged Porcelain Tile Panels

DISTINCTIVE VALUES

MAIN FEATURES

Dimensions 1000mm x 3000mm Perfectly Flat 3+: 51.66 lbs / pc

5.6: 93.96 lbs / pc

CHEMICAL RESISTANCE

Porcelain tile panels resist organic and inorganic solvents, disinfectants and detergents. It can be easily cleaned without affecting its surface characteristics; the only product that can attack the tile panels is hydrofluoric acid.

WEAR RESISTANCE

Porcelain tile panels are highly scratch proof and resistant to deep abrasion. The properties of the tiles remain unchanged even after intensive use and frequent cleaning.

HIGH FLEXURAL STRENGTH

Porcelain tile panels have a high modulus of rupture. 3+ and 5.6 are both 50 MOR which are high values. Typical porcelain value is 35-37.

FROST RESISTANCE

Porcelain tile panels average water absorption is 0.1% therefore it is frost resistant and suitable for any weather condition.

FIRE RESISTANT

Porcelain tile panels do not contain organic material therefore it is resistant to fire and high temperatures.

CHROMATIC PROPERTIES

Porcelain tile panels does not contain organic pigments and is resistant to UV rays. Even if subjected to severe climate changes, the colors remain stable.

GRAFFITI

Porcelain tile panels are a graffiti resistant ceramic surface; it is easy to clean and even the strongest paints can be removed.




Laminam by Crossville - I Naturali 5.6 Calacatta Oro Venato L6093 and Calacatta Venato Bookmatch L0318.1M3MBM

SUSTAINABLE

- The use of hybrid kilns that combine gas and electricity significantly reduces CO2 emissions in the atmosphere
- Laminam has led the way to a photovoltaic system being installed on the roofs of its two Fiorano Modenese plants
- Over a year, this photovoltaic system guarantees the production of around 1,050 GWh, thereby enabling the company to produce 10% of its energy requirements
- In terms of CO2 reduction, Laminam's photovoltaic roof system eliminates the release of 525 tons of CO2 into the atmosphere annually
- Member of the Green Building Council Italia, this Italian association
 of manufacturing leaders strive to transform the building market
 towards environmental sustainability and to build livable communities.
 Partners of GBC Italia promote environmental, economic and social
 responsibility by innovating the way in which buildings are designed,
 built and used.

Technical Information Gauged Porcelain Tile Panels



Wall: Laminam by Crossville - 3+ I Metalli - Plumbeo Ossidato L5347

ENVIRONMENTAL STATEMENT

Laminam by Crossville collections are excellent choices for those seeking green surfacing solutions for design projects. These tile panels are responsibly made with natural raw materials in the heart of Italy's renowned tile production region. The panels are produced in one of the most advanced, environmentally sound manufacturing facilities in the world. Reflecting global standards in sustainability, the Laminam manufacturing process uses leading edge technology, recycling practices, and incorporates innovative methods to minimize waste and generate energy without depleting the earth's resources.

Created to meet Green Building Council standards, these panels support specifiers' goals for durable, healthy environments. The porcelain tile panels do not release emissions or substances into the environment. Manufacturing requires minimal maintenance, contributing to indoor air quality and providing ease of cleaning long term. The panels' superior performance characteristics lead to long product lifecycles—reducing the need for replacement. However, should panels need to be removed, they can simply be separated from their mesh, milled, and recycled back into the tile production stream.

As porcelain tile panels' popularity grows, the green innovations at the Laminam manufacturing facility advance, do as well. The plant's recently installed photovoltaic roof has already produced 1 GWh of energy and is capable of generating an estimated 1.387 GWh within a year. This will cut CO2 emissions into the atmosphere by 617 tons and empower the Laminam plant to self-generate 15% of its energy requirements.

Distributed exclusively in the U.S. by Crossville, many Laminam porcelain tile panel collections are stocked on American soil. This not only allows for prompt order fulfillment, but it also aids in minimizing fuel and energy consumption related to international shipping and transportation.





Sample Express

Order your samples quickly and easily online at CrossvilleInc.com

We offer a variety of sizes and shipping options to satisfy your project needs.

You may also place sample orders through your Crossville representative, by emailing **Samples@CrossvilleInc.com** or calling **800.221.9093**

CrossvilleInc.com

If you want a better idea of what Crossville tile would look like in a particular room setting, visit our website at CrossvilleInc.com and try Cross-Vision. This powerful software tool allows you to visualize different types of Crossville tile in kitchens, bathrooms, dining rooms, and other living areas. In addition, our website features comprehensive information about Crossville's entire portfolio of products, including tile, trim, borders, and accents.

You can also download detailed care and maintenance instructions for our various products, or browse electronic versions of Crossville's product brochures. So whether you need information about Crossville products or tile in general, please visit us at **CrossvilleInc.com**.

* Information here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.



PO Box 1168, Crossville, TN 38557 Phone 931.484.2110 Fax 931.456.2956 Crossc@CrossvilleInc.com CrossvilleInc.com

Wet Dynamic Coefficient of Friction information gathered as a result of DCOF Acu Test" TM - Hydrotect and Laminam by Crossville are registered trademarks of Crossville, Inc.



Trade Organizations





