

ONE PARTNER, END-TO-END SOLUTIONS


Crossville provides seamless solutions from design to installation. We manufacture in the United States with a focus on sustainability and reducing the headaches that can come from using third-party suppliers or international manufacturing.

- Family-Owned Brand
- Highest Quality Porcelain Tile
- · Manufactured in America
- · Internal Warehousing

- Design Consultations
- Showrooms to Service Areas
- · Interior & Exterior
- Technical and Customer Support







AMERICAN-MADE SOLUTIONS FOR WORLD-CLASS BRANDS

















OUR COMMITMENT
TO SUSTAINABILITY

- Sustainable Manufacturing
- Reduced Carbon Footprint
- Multi-Attribute Certifications
- Recycled Content & Non VOC Emitting

CROSSVILLE MAKES IT SIMPLE


- Full- service partner with direct, streamlined communications
- Industry-leading supply chain management
- Ease with multi-site, multi-geography projects
- Design solutions with multiple finish options and trim essentials
- Prescriptive maintenance plans and technical support











DESIGN YOU WANT \(\rightarrow \) STRENGTH YOU NEED



Clinker-Style AutoPaver, Fully Vitrified



Withstands Extreme Temperature Change



High Traffic & Harsh Environments



Resilient to High Point Loads



Impervious Porcelain



Handles Strong Chemical Cleaners & Sterilization

- Advanced Finishes for High Exposure
- Technical Installation Options
- Versatile Design Options





- Crossville Cross-Sheen Finish
- Some Options Include Recycled Content
- Extended Systems Warranty



Clinker-Style AutoPaverTM by Crossville®

Full-Vitrified Porcelain Tile

Crossville's AutoPaver Series ensures supportive strength and greater impact resistance. With a thickness of 15mm, this Clinker-Style fully vitrified porcelain tile can be installed using either the vibrating installation system or a traditional thin-set system. The combination of impervious porcelain tile with Cross-Sheen finish provides high degree of chemical resistance and ensures ease of cleaning.

This domestically produced material is readily available and has a sustainability story second to none. Some available colors are made from 30-35% recycled content, including up to 4% outside post-consumer waste.

Sizes (Available in all colors)



Sizes & Finishes

OIZCO & I IIIIOIICO					
Field Tile		Available in all color	Available in all colors		
Nominal (in)	Actual (mm)	Thickness (mm)	Finish		
3-1/4 x 8	97 x 200	15	UPS		

Crossville recommends a grout joint of 3mm.

Actual measurements stated in inches indicate tile is calibrated (non-rectified). Actual measurements stated in mm indicate tile is rectified.

Product Performance

Breaking Strength 1,000 lbf ASTM C648 Bond Strength >200 psi ASTM C482 Chemical Resistance Unaffected ASTM C650 Frost Resistance Resistant ASTM C1026	
Chemical Resistance Unaffected ASTM C650	
Frost Resistance Resistant ASTM C1026	
Water Absorption <0.20% ASTM C373	
Scratch Hardness 6 Mohs Scale	

Wet Dynamic Coefficient of Friction Range


Unpolished ≥	0.42	AcuTestsm
--------------	------	-----------

German Ramp Value

Unpolished	R10	DIN51130

Shade & Texture Index

AutoPaver has a shade variation of V1



This porcelain tile product is produced with a V1 variation. Differences among pieces from the same production run are minimal.

AP880 ▶ Onyx **AP001** ▶ Grey Mingle*

- *Grey mingle is made from 30-35% recycled content,
- Suitable for floors that require extremely high breaking strength
- · Vibration or traditional thin-set installation
- Cross-Sheen® for added stain resistance
- Made in the U.S.A.

Colors

Recommended Use

Designed for use in areas that undergo:

- High traffic
- High-stress loads
- Harsh environments
- Extreme temperatures



V1 Uniform appearance V2 Slight Variation V3 Moderate Variation V4 Substantial Variation

Crossville, Inc.

PO Box 1168 Crossville, TN 38557 Phone 931 Fax 931 E-Mail Cro

Web

931.484.2110 931.456.2956 Crossc@CrossvilleInc.com

CrossvilleInc.com

